

Ground Floor Plan SCALE: 1:50

NOTES: Drawing to be read in conjunction with:

- Employers requirements



- The Contractor is responsible for the design of all drainage to comply with AD Part H & the requirements of the local water authority.


- Fire detection and alarm system inc.emergency lighting & all signage) to comply with AD Part B & BS 5839 Part 1.

Contractor to make allowance for intumescent paint fire protection to all steels, where required to satisfy BCO of compliance with AD Part B.

The Contractor is responsible for the design of all drainage to comply with AD Part H & the requirements of the local water authority

Contractor to propose suitable construction to achieve min. structural requirements and to min. insulation value to comply with SBEM calculations and BR Part L*.(min. U-Value of 0.18W/m2k)*

	Block	D GIA Schedule		
Name	Level	Comments	Area	Area sq ft
Unit 14	00 Ground		60.31 m ²	649 ft ²
Unit 14	01_First Floor Level	50% of GF area	29.97 m ²	323 ft ²
			90.28 m ²	972 ft ²
Unit 15	00_Ground		59.67 m ²	642 ft ²
Unit 15	01_First Floor Level	50% of GF area	29.95 m ²	322 ft ²
			89.62 m ²	965 ft ²
Unit 16	00_Ground		59.67 m ²	642 ft ²
Unit 16	01_First Floor Level	50% of GF area	29.95 m ²	322 ft ²
			89.62 m ²	965 ft ²
Unit 17	00_Ground		60.31 m ²	649 ft ²
Unit 17	01_First Floor Level	50% of GF area	29.97 m ²	323 ft ²
			90.28 m ²	972 ft ²
			359.81 m ²	3873 ft ²



Entrance Door

Double glazed, thermally broken, aluminium framed doors with contrasting ironmongery and letter boxes, to comply with AD Part M

C2	Construction Set	GD	WB	04.07.22
C1	Construction Set	GD	WB	01.07.22
P1	Issued for planning	PW	WB	09.06.21
Rev	Description	Ву	Check	Date

Hyphen

3 Charlecote Mews Staple Gardens Ninchester, SO23 8SR +44 1962 835500 info@hyphen.archi

Spec Projects Ltd for


Glenmore Holdings Ltd

Block C, Terminus Road, Chichester

Drawing Ground Floor Plan - Block C

Scale	Date	Author	Checked
As indicated @A1	10/01/22	GD	WB
Workstage	Status		
3	CONSTRUC	ΓΙΟΝ	
Hyphen Project No Project /	Drawing No		Revision

7943





0 1m 2m 5

Drawing to be read in conjunction with: - Employers requirements - Specification



 The Contractor is responsible for the design of all drainage to comply with AD Part H & the requirements of the local water authority.

- Fire detection and alarm system inc.emergency lighting & all signage) to comply with AD Part B & BS 5839 Part 1.

Contractor to make allowance for intumescent paint fire protection to all steels, where required to satisfy BCO of compliance with AD Part B.

The Contractor is responsible for the design of all drainage to comply with AD Part H & the requirements of the local water authority

Contractor to propose suitable construction to achieve min. structural requirements and to min. insulation value to comply with SBEM calculations and BR Part L*.(min. U-Value of 0.18W/m2k)*

	Block	D GIA Schedule		
Name	Level	Comments	Area	Area sq ft
Unit 14	00 Ground		60.31 m ²	649 ft ²
Unit 14	01_First Floor Level	50% of GF area	29.97 m ²	323 ft ²
			90.28 m ²	972 ft ²
Unit 15	00 Ground		59.67 m ²	642 ft ²
Unit 15	01_First Floor Level	50% of GF area	29.95 m ²	322 ft ²
			89.62 m ²	965 ft ²
Unit 16	00_Ground		59.67 m ²	642 ft ²
Unit 16	01_First Floor Level	50% of GF area	29.95 m ²	322 ft ²
		I	89.62 m ²	965 ft ²
Unit 17	00_Ground		60.31 m ²	649 ft ²
Unit 17	01_First Floor Level	50% of GF area	29.97 m ²	323 ft ²
	·		90.28 m ²	972 ft ²
			359.81 m²	3873 ft²

C1 Construction Set GD WB 01	
	1.07.22
Rev Description By Check I	Date

Hyphen

3 Charlecote Mews Staple Gardens Winchester, SO23 8SR +44 1962 835500 info@hyphen.archi


Spec Projects Ltd for

Glenmore Holdings Ltd

Block C, Terminus Road, Chichester

Drawing First Floor - Block C

Workstage 3	Status CONSTRUCT	ΓΙΟΝ	
Hyphen Project No P	roject / Drawing No		Revision





0	1m	2m	5m
- Emp	ing to be r	ead in conjunction wi quirements	th:

 The Contractor is responsible for the design of all drainage to comply with AD Part H & the requirements of the local water authority.

- Fire detection and alarm system inc.emergency lighting & all signage) to comply with AD Part B & BS 5839 Part 1.

Contractor to make allowance for intumescent paint fire protection to all steels, where required to satisfy BCO of compliance with AD Part B.

The Contractor is responsible for the design of all drainage to comply with AD Part H & the requirements of the local water authority

Contractor to propose suitable construction to achieve min. structural requirements and to min. insulation value to comply with SBEM calculations and BR Part L*.(min. U-Value of 0.18W/m2k)*

C1	Construction Se	et		GD	WB	01.07.22
P1	Issued for plan	ning		PW	WB	09.06.21
Rev	Description			By	Check	Date
Client	• •	1011	V	Vinche +	Staple ester, S0 44 1962	ote Mews Gardens D23 8SR 2 835500 nen.archi
•	ec Project nmore Ho	s Ltd for Idings Ltd				
Gle		-				
Project		ninus Road	, Chich	est	er	
Project Blo Drawing	ck C, Teri		, Chich	est	er	
Project Bloo Drawing	ck C, Terr		, Chich	est		cked

 Workstage
 Status

 3
 CONSTRUCTION


Hyphen Project No Project / Drawing No


A-132 C1

Revision

Do not scale from this drawing. Report any discrepancies to the author. © The Hyphen Group Ltd

7943





Legend:

Internal ceiling height above finished floor CH**** level.


Full height partition to the underside of structure

NOTES:

All wall positions and existing structures identifed are based on information obtained through other sources. General Contractor to refer to survey drawings and check on site. GC to report any discrepancies to Hyphen before commencement of works.

Dimensions to be checked on site. Proposed structure to be read in conjunction with the structural engineers detailed drawings and details.

Mezzanine structure may require FR60 structure and cladding if fit out use changes from storage



C2	Construction Set	GD	WB	04.07.22
C1	Construction Set	GD	WB	01.07.22
P1	Issued for planning	PW	WB	09.06.21
Rev	Description	Ву	Check	Date

Hyphen

3 Charlecote Mews Staple Gardens Winchester, SO23 8SR +44 1962 835500 info@hyphen.archi


^{Client} Spec Projects Ltd for Glenmore Holdings Ltd


Block C, Terminus Road, Chichester

Reflected Ceiling Plan - Block C

Scale	Date	Author	Checked
As indicated @A1	10/01/22	GD	WB
Workstage	Status		
3	CONSTRUCT	TION	
Hyphen Project No Project /	Drawing No		Revision

7943





- The Contractor is responsible for the design of all drainage to comply with AD Part H & the requirements of the local water authority.

- Fire detection and alarm system inc.emergency lighting & all signage) to comply with AD Part B & BS 5839 Part 1.



Exit signage to comply with BS 5499: Pt 1

Fire Alarm system to comply with BS 5839 Pt: 1

Emergency Lighting to comply with BS 5266: Pt 1

Indicative Plan Subject to Building Control approval

C2	Construction Set	GD	WB	04.07.22
C1	Construction Set	GD	WB	01.07.22
P1	Issued for planning	PW	WB	09.06.21
Rev	Description	Ву	Check	Date

Hyphen

3 Charlecote Mews Staple Gardens Winchester, SO23 8SR +44 1962 835500 info@hyphen.archi

Client Spec Projects Ltd for Glenmore Holdings Ltd

Block C, Terminus Road, Chichester


Drawing Fire Strategy - Block C

Hyphen Project No Pr	pject / Drawing No		Revision
3	CONSTRUCT	ION	
Workstage	Status		
1 : 100 @A2	10/01/22	GD	WB
Scale	Date	Author	Checked

Hyphen Project No Project / Drawing No

7943


Do not scale from this drawing. Report any discrepancies to the author. © The Hyphen Group Ltd A-136 C2




2 Block C - North-East Elevation SCALE: 1:50

C2	Construction Set	GD	WB	04.07.22
C1	Construction Set	GD	WB	01.07.22
P1	Issued for planning	PW	WB	09.06.21
Rev	Description	By	Check	Date

Scale	Date	Author	Checked
1 : 50 @A1	10/01/22	PW	WB
Workstage	Status		
3	CONSTRUCT	ION	
Hyphen Project No F	roject / Drawing No		Revision
7943			A-230 C2





2 Block C - North-West Elevation SCALE: 1:50

SCALE: 1:50

NOTES: Drawing to be read in conjunction with: - Employers requirements - Specification

External Finishes

	-		
Ţ		I	

Goosewing Grey Trapezoidal Roof Cladding Sargasso Trapezoidal Wall Cladding Hamlet Microrib Wall Cladding Red Multi Brickwork

SG - Safety Glass

OG - Obscured Glass

C2	Construction Set	GD	WB	04.07.22
C1	Construction Set	GD	WB	01.07.22
P1	Issued for planning	PW	WB	09.06.21
Rev	Description	Ву	Check	Date

Hyphen


3 Charlecote Mews Staple Gardens Winchester, SO23 8SR +44 1962 835500 info@hyphen.archi


^{Client} Spec Projects Ltd for Glenmore Holdings Ltd Project

Block C, Terminus Road, Chichester

Drawing Elevations 2 - Block C

Scale	Date	Author	Checked
1 : 50 @A1	10/01/22	PW	WB
Workstage	Status		
3	CONSTRUCT	TION	
Hyphen Project No	Project / Drawing No		Revision
7943			A-231 C2





Mezzanine floor structure to specialist sub-contractor

design, clad with 22mm T&G

flooring grade chipboard

╺┯┯┼╎╎┼┯┯╸

C2	Construction Set	GD	WB	04.07.22
C1	Construction Set	GD	WB	01.07.22
P1	Issued for planning	PW	WB	09.06.21
Rev	Description	By	Check	Date

Hyphen

3 Charlecote Mews Staple Gardens Ninchester, SO23 8SR +44 1962 835500 info@hyphen.archi

Spec Projects Ltd for


Glenmore Holdings Ltd


Block C, Terminus Road, Chichester

Drawing Sections - Block C

Date	Author	Checked
10/01/22	PW	WB
Status		
CONSTRUCTIO	N	
Drawing No		Revision
		A-232 C2
	10/01/22 Status	10/01/22 PW Status CONSTRUCTION

Door/Window																	
Tag ReferenceMark	Family	Description	Type A, B,	, C Position	Finishes	Material	Glazing	Width	Height	StructuralOpen Width	ing StructuralOpening Height	Door handle	Door Lock	Comments	Fire Rating	Kick Plates	Self Clo
D.D.01	GM Ext Entrance Doc	FIRE ESCAPE DOOR. Entrance door	В	External	PPC white	Aluminium	DBL glazed laminate safety/Part N	1010 00	2100.00	1810.00	2100.00	Lever Handle	Key lock + fire/Panic push pad latch overide internally. 3nd	security hinge bolts I effer box in side light		Yes	Yes
-	Roller Shutter 3x4m	Double-skinned steel sectional door with thermal break	A		PPC Sargasso (Blue)		No	3000.00	4000.00			N/A	Key switch	Electrically operated		No	No
D.D.03	Roller Shutter 3x4m	Double-skinned steel sectional door with thermal break	A	External	PPC Sargasso (Blue)	Steel	No	3000.00	4000.00			N/A	Key switch	Electrically operated		No	No
D.D.04	GM Ext Entrance Doc	FIRE ESCAPE DOOR. Entrance door	В	External	PPC white	Aluminium	DBL glazed laminate safety/Part N	1010.00	2100.00	1810.00	2100.00	Lever Handle	Key lock + fire/Panic push pad latch overide internally. 3nd	b. security hinge bolts Letter box in side light		Yes	Yes
	GM_Internal Single Door1	Toilet door	С	Internal	Paint Grey	Solid Core	No	926.00	2050.00	1010.00	2100.00	Lever Handle	Toilet door locks with indicators	Toilet door sign & coat hook		Yes	No
D.D.08	GM_Internal Single Door1	Toilet door	С	Internal	Paint Grey	Solid Core	No	926.00	2050.00	1010.00	2100.00	Lever Handle	Toilet door locks with indicators	Toilet door sign & coat hook		Yes	No
D.D.09	GM_Internal Single Door1	Toilet door	С	Internal	Paint Grey	Solid Core	No	926.00	2050.00	1010.00	2100.00	Lever Handle	Toilet door locks with indicators	Toilet door sign & coat hook		Yes	No
	GM_Internal Single Door1	Toilet door	С	Internal	Paint Grey	Solid Core	No	926.00	2050.00	1010.00	2100.00	Lever Handle	Toilet door locks with indicators	Toilet door sign & coat hook		Yes	No
D.D.11	GM Ext Entrance Doc	r FIRE ESCAPE DOOR. Entrance door	В	External	PPC white	Aluminium	DBL glazed laminate safety/Part N	1010.00	2100.00	1810.00	2100.00	Lever Handle	Key lock + fire/Panic push pad latch overide internally. 3nd	b. security hinge bolts Letter box in side light		Yes	Yes
D.D.12	GM Ext Entrance Doc	FIRE ESCAPE DOOR. Entrance door	В	External	PPC white	Aluminium	DBL glazed laminate safety/Part N	1010.00	2100.00	1810.00	2100.00	Lever Handle	Key lock + fire/Panic push pad latch overide internally. 3nd	. security hinge bolts Letter box in side light		Yes	Yes
D.D.13	Roller Shutter 3x4m	Double-skinned steel sectional door with thermal break	A	External	PPC Sargasso (Blue)	Steel	No	3000.00	4000.00			N/A	Key switch	Electrically operated		No	No
D.D.14	Roller Shutter 3x4m	Double-skinned steel sectional door with thermal break	A	External	PPC Sargasso (Blue)	Steel	No	3000.00	4000.00			N/A	Key switch	Electrically operated		No	No
Grand total: 12												ŀ	Block D Window Sche	dule			
										Windo Numb		StructuralOp	peningWidth StructuralOpeningHeight	Materials Sill Height	Head Height	Cc	omments






Finish Colour - Sargasso Blue



<u>TYPE B</u>

01_First Floor	Level					
W.D.10	GM 1000x1800	1800.00	1000.00	1200.00	2200.00	Single opening
W.D.11	GM 1000x1800	1800.00	1000.00	1200.00	2200.00	Single opening
W.D.12	GM 1000x1800	1800.00	1000.00	1200.00	2200.00	Single opening
W.D.13	GM 1000x1800	1800.00	1000.00	1200.00	2200.00	Single opening



Metal Flashing Sargasso Blue Colour

GM Window 1800x1000mm single opening

TYPE C

General Note:

Drawing to be read in conjunction with the specification and Building Regulations.

Contractor to provide all window furniture in accordance with the specification

ALL DIMENSIONS TO BE CONFIRMED ON SITE PRIOR TO MANUFACTURE

C1	Construction Se	et		GD	WB	01.07.22
P1	Issued for plan	ning		PW	WB	09.06.21
Rev	Description			Ву	Check	Date
I -]	lypl	nen		Winche	Staple ester, S0 44 1962	ote Mews Gardens O23 8SR 2 835500 nen.archi
Glei		s Ltd for oldings L t	d			
Project	nmore Ho ck C, Teri	oldings Lt		hest	er	
Project Bloc Drawing	nmore Ho	oldings Lt	ad, Chic			
Project Bloc Drawing	nmore Ho ck C, Teri	oldings Lt	ad, Chic		k C	cked
Project Bloc Drawing DOC	nmore Ho ck C, Teri	oldings Lte minus Ro ndow Scł	ad, Chic nedule -		k C	cked /B
Project Bloc Drawing DOC	nmore Ho ck C, Terr or and Wi dicated @A1	oldings Lto minus Ro ndow Sch	ad, Chic nedule -		k C	
Project Bloc Drawing DOC Scale As inc	nmore Ho ck C, Terr or and Wi dicated @A1	oldings Lte minus Ro ndow Sch	ad, Chic nedule - ^{Author} PW		k C	

7943